



GLIDECAM CENTURIONTM

BALANCE STAND



MANUAL

Set-up and Operations Guide

Glidecam Industries, Inc. 23 Joseph Street, Kingston, MA 02364

Customer Service Line 1-781-585-7900

Manufactured in the U.S.A.

COPYRIGHT 2016 GLIDECAM INDUSTRIES, Inc. ALL RIGHTS RESERVED

TABLE OF CONTENTS

SECTION #		PAGE #
1.	Introduction	3
2.	Glidecam CENTURION BALANCE STAND Setup	4
3.	Warnings	6
4.	Warranty	6
5.	Online Information	7

#I INTRODUCTION

Congratulations on your purchase of a Glidecam CENTURION BALANCE STAND.

Glidecam is the industry leader in camera stabilization. We have been in business for over 20 years and strive to innovate and bring the best camera systems to the market.

The Glidecam CENTURION BALANCE STAND is designed specifically for use with the Glidecam CENTURION. We highly recommend that the user read this manual thoroughly before setting up and operating the Glidecam CENTURION BALANCE STAND. Doing so will save you time, and will minimize the risk of damage to your camcorder or the Glidecam CENTURION BALANCE STAND. It is important to perform and follow the Set-up and Operation's procedures in the proper sequence, so as to avoid both frustration and a possible accident.

If you have need of any technical assistance, you can call our **Technical Support Line at 1-781-585-7900**, Monday through Friday between the hours of 9:00 am and 5:00 pm, Eastern Standard Time.

We're sure that once you have your Glidecam CENTURION BALANCE STAND up and running, you will find years of enjoyment with it.

#2 GLIDECAM CENTURION BALANCE STAND SETUP



Figure 1

Setting up the Glidecam CENTURION BALANCE STAND is quick and easy. First simply lay the Glidecam CENTURION BALANCE STAND on the table like seen in Figure 1.

****NOTE**** When traveling or storing the Glidecam CENTURION BALANCE STAND you will want to put the Glidecam CENTURION BALANCE STAND in this position.



Figure 2

Place your fingers as shown in Figure 2 and pull to remove the Glidecam CENTURION BALANCE STAND ARM from it's lock.




Figure 3

Move the Glidecam CENTURION BALANCE STAND ARM 90 degrees into the second lock as shown in Figure 3.

Repeat these steps for the additional 3 Glidecam CENTURION BALANCE STAND'S ARMS.



With all 4 Glidecam CENTURION BALANCE STAND'S ARMS extended, place the Glidecam CENTURION BALANCE STAND on the table as shown in Figure 4. Your Glidecam CENTURION BALANCE STAND is now setup and ready for the Glidecam CENTURION.

Figure 4

#3 WARNINGS

Storage - If you are going to store your Glidecam CENTURION for a long period of time then please store the unit in a dry or low to normal humidity area whenever possible. If you are unable to find an environment like this, then we suggest you store the unit in an air tight plastic container or bag.

Cleaning - Do not use solvents or harsh cleaners of any kind on your Glidecam CENTURION BALANCE STAND. If the unit becomes dirty, use only a cloth or sponge with water to gently rub the unit clean.

#4 WARRANTY

For 1 year from the date of shipment, we will repair or replace your Glidecam CENTURION BALANCE STAND, free of charge, in the event of a defect in materials or workmanship (the shipment date appears on your purchase receipt) which occurs during normal use in accordance with the Glidecam CENTURION BALANCE STAND's instruction manual. Shipping, packing, and insurance costs to and from the factory are your responsibility. This limited warranty extends only to the original purchaser, and you will need your purchase receipt. This warranty does not cover, by way of example, damage caused by products not supplied by us or damage resulting from mishandling in transit, accident, misuse, vandalism, neglect, modification, lack of reasonable care (or commercial use, including rentals to others) of the Glidecam CENTURION BALANCE STAND or service by anyone other than us. There are no express warranties except as listed above. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

WE ARE NOT LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF THE UNIT OR ARISING OUT OF ANY BREACH OF THIS WARRANTY. ALL EXPRESS AND IMPLIED WARRANTIES, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO THE WARRANTY PERIOD.

To obtain service during (or after) the warranty period: Contact **Glidecam Industries' Customer Service** Department by calling **1-781-585-7900** or write to us at: **23 Joseph Street, Kingston, MA 02364** and explain the problem.

DO NOT SEND THE UNIT TO US WITHOUT FIRST OBTAINING A RETURN AUTHORIZATION NUMBER.

GLIDECAM INDUSTRIES, INC.

For more information
about ***GLIDECAM***
products and training please
visit ***GLIDECAM*** on the web.

www.Glidecam.com

or

Follow us on



[Facebook.com/Glidecam](https://www.facebook.com/Glidecam)



[Twitter.com/Glidecam](https://twitter.com/Glidecam)



[Instagram.com/Glidecam](https://www.instagram.com/Glidecam)

GLIDECAM INDUSTRIES, INC.

23 Joseph Street

Kingston, MA 02364

Phone: 1-781-585-7900

Phone: 1-800-600-2011

Fax: 1-781-585-7903

Website: www.Glidecam.com